FLOODPLAIN DEVELOPMENT PERMIT APPLICATION CITY OF LA VERNIA



**** All construction also requires a building permit ****

This is an application packet for a Floodplain Development Permit. Certain sections are to be completed by the Applicant, and other sections are to be completed by the local Floodplain Administrator (FPA).

The National Flood Insurance Program (NFIP) provides flood insurance to individuals at much lower premiums than could otherwise be purchased through private insurers, and makes certain federal monies are available to local communities. In order for citizens to be eligible for the national flood insurance rates, or for communities to receive certain kinds of federal monies, the community must agree to meet minimum floodplain standards. This application packet is a tool to ensure that the minimum standards are met.

In a participating NFIP community, flood insurance policies can be purchased from any local insurance agent at the national rate. Even though the policy may be issued as if it were coming from the insurance company you deal with, it is actually a Federal NFIP policy printed on the insurance agency's letterhead. The rates are determined by the flood risk zone in which you live and by the elevation of the lowest floor of your home, not by the insurance company, and should be the same regardless of which agent or agency sells you the insurance.

You may buy flood insurance for your own peace of mind, you may be required to buy it before a lending institution will make or refinance a loan, or you may not be buying flood insurance at all. Property owners who experience damages from a flood and do not carry flood insurance, will <u>not</u> receive federal disaster assistance monies, but may be eligible for low interest loans from the federal government. Whatever the case, if the property you propose to develop is located within a "Special Flood Hazard Area" on a flood map issued by the Federal Emergency Management Agency (FEMA), you **MUST** obtain a Floodplain Development Permit prior to beginning the project. This is a requirement of the local Flood Damage Prevention Ordinance, and there are penalties for failing to do so.

Floodplain Development Permits are ONLY required for developments in areas designated as "Special Flood Hazard Areas" of FEMA-issued flood maps. Flood maps can be reviewed at city hall, online at the FEMA website (https://msc.fema.gov/) or the San Antonio River Authority website (https://msc.fema.gov/).

If you are proposing a development of any kind, (constructing a new building, adding on to an existing building, clearing land, placing fill, grading land, mining, dredging, drilling, etc...) in a floodplain, you <u>MUST</u> submit an application for a Floodplain Development Permit to the Administrative Official. Depending upon the type of development you are proposing, additional forms *may* be required. For example, all new buildings in a Special Flood Hazard Area require an Elevation Certificate to document that the lowest floor of the building is elevated to a certain height relative to the anticipated flood crest of the "base flood" event. The Elevation Certificate and other forms are provided on-line at the city website (<u>www.lavernia-tx.gov</u>), but should only be completed if they are required for the proposed development.

Typically, the Applicant completes the first page of the Floodplain Development Permit and submits the information to the city FPA. The FPA reviews the submission and determines whether or not additional information is needed. If it is, the FPA will request the additional information from the Applicant. Once all the required materials have been submitted, the FPA will make a permitting decision and either issue or deny the requested Floodplain Development Permit. (Denied permits may be appealed per the provisions of the Flood Damage Prevention Ordinance.)

The Applicant should understand that a Floodplain Development Permit is only a permit to complete the proposed development. It is <u>not</u> a permit to, for example, build a house, construct a baseball field, install a drainage ditch or septic system, spread fill or grade a parcel of land. Before any construction or development, a building permit must be obtained from the city. The FPA will perform periodic inspections during and post construction to ensure the development is compliant with the requirements of the Flood Damage Prevention Ordinance. Once the Compliance Certificate has been issued the process is completed.

Floodplain Development Permit Stormwater Management Development Categories



In an effort to facilitate development while applying drainage rules, a tier system is established requiring different submittals and different development actions depending on the probable impact on the drainage basin. The tier system limits the impact of development on downstream properties by requiring project owners to identify their project's affect and to mitigate that affect so that no harm occurs. All projects, regardless of size must analyze its relative impact and using best management practices, employ a design that results in no impact. The city recognizes the economic impact that such an analysis can have on small projects and through the tier system attempts to lessen the cost of compliance by limiting the scope of analysis.

Type 1 Development

A Type 1 Development is any development or redevelopment that meets the following criteria:

- (1) disturbs less than 1 acre of land; or
- (2) creates less than 1,000 square feet of additional impervious cover; or
- (3) creates additions to a residential single-family or duplex structure.

Type 1 development has the least compliance requirements including a site drawing for the proposed development, review of applicable Best Management Practice's (BMP's) and temporary erosion control techniques. The Applicant may be required to provide future easements to accommodate other developments that may occur in the future. No drainage report is needed and it is not necessary to obtain professional services. City staff will conduct the review and provide approvals if all standards are met.

Type 2 Development

A Type 2 Development is any development or redevelopment that meets the following criteria:

- (1) agricultural projects (not including feedlots); or
- (2) single family or duplex residential projects that are not in a major subdivision with a prior drainage study and have more than 1,000 square feet of additional impervious cover; or
- (3) non-residential developments that have less than 7,500 square foot of additional impervious cover.

Type 2 submittal requirements are:

Location and contact information;

- (1) A scaled site drawing or sketch for the proposed disturbance drawn at a scale 1" = 50' or less on 11" X 17" paper. The drawing must show existing drainage-ways, flow directions, floodplain boundaries, proposed grading and development, and proposed drainage and erosion control facilities with a copy of the survey plat showing the lot layout, streets, and all easements
- (2) A review of applicable BMP's and temporary erosion control techniques;
- (3) An agreement letter specifying BMP's to be included in the project.

The project owner must agree to increase the size of existing onsite and offsite drainage structure(s) if the City is aware that these structures are currently undersized. Also, the project owner must also provide all required drainage easements. As with Type 1 development, no drainage report is required for Type 2 developments. Therefore, a professional engineer is not needed to assure compliance. City staff will conduct the review and provide approvals if all standards are met.

Type 3 Development

A Type 3 Development is any development or redevelopment that meets the following criteria:

- (1) non-residential development with more than 7,500 square feet of additional impervious cover; or
- (2) residential subdivision with other than single family and duplex units; or
- (3) major subdivisions (three or more lots); or
- (4) disturbs more than one acre of land; or
- (5) development within a FEMA designated flood hazard area or adjacent to a major watercourse, or
- (6) agricultural feedlots.

Type 3 developments include the most complex developments, so compliance requirements are the most rigorous. Submittals for a Type 3 Development include location and contact information, a Drainage Report (hydrology and possible hydraulics), and Erosion Control Plan, and an agreement letter specifying the type of BMP's to be employed in the project.

Storm water run-off mitigation through detention, retention, or some other technique must be designed by a professional engineer to reduce the post-development discharge rate to below that of pre-development for the 10-year and 100-year design storms.

Type 3 developments require the services of a professional engineer to create the reports, design the facilities, oversee and certify the adequacy of construction so that the City may be assured that the design and as-builts meet all regulatory requirements.

NOTES:

Nothing in this application process shall be considered to negate or supersede any provisions of the flood damage prevention regulations in chapter 6 building regulations. In the event of a conflict between a specific provision of this application process and a provision of the building regulations in chapter 6, the building regulations shall control in all instances.

Stormwater retention and/or detention facilities must reduce peak flows from the 10-year, 24-hour storm and the 100 year, 24-hour storm, such that these peak flows are no greater than under pre-development conditions.

The method(s) of retention or detention shall be appropriate to the type of development, topography, and amount of control needed. Suggested measures include the following:

- Basins or swales single or multiple;
- Check dams in gullies to slow runoff and trap sediment;
- Leach fields, infiltration chambers, dry wells, rain barrels, French drains;
- · Granular fill under permeable paving blocks;
- Contour terracing, improved vegetation cover;
- Low impact development methods including but not limited to bioswales, vegetative filter strips, bioretention.

INSTRUCTIONS FOR COMPLETION OF FLOODPLAIN DEVELOPMENT PERMIT

- **STEP 1** Front Page of Floodplain Development Permit General Information To be completed by the applicant. Additional owner(s) information/signature to be completed for additional owners.
- STEP 2 Special Provisions Details the required documents and certifications to ensure compliance with FEMA and city flood damage prevention regulations.
- STEP 3 Forms Possible forms include Elevation Certificate, Floodproofing Certificate and No Rise Certificate.
- **STEP 4** Permit Determination If the permit is not approved, the FPA will provide an explanation.
- STEP 5 Certificate of Compliance Granted by the FPA if all regulatory compliance is met.

Date	
Fee	
Receipt	
Building Permit_	·



	DEVELOPMENT PERMIT July 20				
Property Address					
Property Owner	Owner's Telephone No				
Attach additional sheets for multiple owners	•				
Owner's Mailing Address	City State Zip				
Owner's Email					
Contractor	Contractor's Telephone No				
Contractor Contact	Contact's Telephone No				
Contractor's Email					
 By signing and submitting this application, the A his/her representative to make reasonable inspe 	e-issued. until a Certificate of Compliance is issued. within one year of the date of issue. essary local, state or federal permits have been obtained. Applicant(s) gives consent to the local Floodplain Administrator or ctions prior to the issuance of a Certificate of Compliance. Applicant certifies that all statements contained in the application				
Property Information If located within a subdivision: Name of subdivision	Linit No				
	Officted.				
If not located within a subdivision: Name & No. of Survey/Abstract	Acreageand/or Substantial Improvements □				

Permit Information

Appraised Value of Structure

100 Year Floodplain

The above named applicant applied for a building permit on _____. The application has been reviewed by the Administrative Official and it has been determined that the proposed development is located within a special flood hazard area as defined by the City Codes. This permit expires one year from the day this permit is issued. If the conditions of this permit are not met before the permit expires, the property owner must apply for an extension to the permit. A permit extension to the one year limitation may be considered. See La Vernia Code of Ordinances Chapter 38-111 regarding building permits and extensions.

Base Flood Elevation (BFE) in this area_____feet mean above sea level (North American Vertical Datum [NAVD] of 1988)

See La Vernia Code of Ordinances Chapter 6-401 for definitions of Substantially Damage, Substantial Improvement.

Floodway .

If located in a floodway, a NO RISE CERTIFICATE is necessary before proceeding.

Digital Flood Insurance Rate Map (DFIRM) – Community Number 481050 Panel — 0150 or — 0175

Estimated Damage or Improvements

Special Flood Hazard Area Zone

To be completed by staff:

			has reviewed the plans and specifications of the proposed development for conformance with the City thorized to proceed with the following described work:
		_ All other Loca authorized by	al, State and Federal Permits have been secured or will be secured prior to beginning the work this permit.
		_ No Special Pro	ovisions (the above stated improvements may be constructed without further documentation).
To m	aintai ted to	construct your in	th FEMA standards and to minimize flood damage potential to the proposed development, you are hereby improvements in accordance with the following special provisions noted below:
Floo	d Dar	nage Mitigation	Requirements
	1		The lowest finished floor (including the basement), electrical services, electrical pumps, air conditioning units and any other electrical devices must be elevated one foot above feet mean above sea level (NAVD 1988).
	2		Provide an "Elevation Certification" prepared by a Texas Licensed Professional Land Surveyor or a Texas Llicensed Professional Engineer. The current FEMA "Elevation Certificate Form" may be found on the City of La Vernia website under "FORMS" www.lavernia-tx.gov .
	3		Licensed Professional engineer certifies that the electrical services, electrical pumps, air conditioning units and any other electrical devices have been elevated above the base flood elevation for this property.
	4		Provide a statement (letter), signed and sealed by a Texas Licensed Professional Engineer that all public utilities and facilities, such as sewer, gas, electrical, and water systems are designed, located and constructed to minimize or eliminate flood damage, and adequate drainage is provided to reduce exposure to flood hazards.
Four	datio	n Design Requi	rements
	- Pie	r and Beam C	onstruction - Slab on Grad Construction with fill placement greater than one foot
	5		Provide a statement (letter), signed and sealed by a Texas Licensed Professional Engineer that the foundation design of the structure and completed construction will resist collapse, flotation and lateral movement during the 1% chance (100 yr) flood. The Engineer must attach a copy of his/her calculations and a list of assumptions to the statement.
		b on Grade Co	
With □□		mated flooding	g of one foot or less with fill placement one foot or less
	6		Provide a statement (letter), signed and sealed by a Texas Licensed Professional Engineer that the foundation design of the structure and completed construction will resist collapse, flotation and lateral movement during the 1% chance (100 yr) flood. The Engineer must attach a copy of his/her calculations and a list of assumptions to the statement.
Man		tured Housing	
	7		Provide a statement (letter), signed and sealed by a Texas Licensed Professional Engineer that the foundation design of the structure and completed construction will resist collapse, flotation and lateral movement during the 1% chance (100 yr) flood. The Engineer must attach a copy of his/her calculations and a list of assumptions to the statement.
Acti		including Dre	edging, Filling, Mining, and Excavation
	8 9		Survey of property showing existing topographic elevations from a Texas Licensed Professional Land Surveyor or Texas Licensed Professional Engineer. Provide a proposed fill/excavation plan including proposed final topographic elevations.
	10		Provide a topographic elevation survey certified (signed and sealed) by a Texas Licensed. Professional Land Surveyor or Texas Licensed Professional Engineer that the fill was placed in accordance with the approved plan.

CITY OF LA VERNIA - FLOODPLAIN DEVELOPMENT PERMIT

Page 3 of 3

Non-residential Floodproofing	J							
coi En me Lic ass	n-residential structunstructed using flagineer must comethods used will processional sumptions to the esidential Floodprocessionals.	loodprod plete a rotect the al Engin certifica	ofing construct "Floodproofige structure up deer must atta tion. The co	ction mething Certificon to or about the community of the contraction	ods. A cation" cellor the ballor of his/hada form	Texas Lice ertifying that as flood ele er calculation "Technical"	ensed Prof t the flood evation. Th ons and/or Bulletin 3-9	Tessional Iproofing te Texas a list of 03, Non-
tha hig rea qui	hicle (RV or Travel Tra lacement of a recre an 180 days from ghway use or meet ady for highway us ick disconnect type le applicant must ap	eational the issu the request if it is utilities	vehicle (RV) of the purification in the purification is security of the vehicles and security of the vehicles are vehicles and security of the vehicles are vehicles and security of the vehicles are vehicles and vehicles are vehicles and vehicles are vehi	or construct permit.The tems 1,2,3, s or jackin devices; ar	ction site to vehicle not, and 7 of g system; nd has no	ouilding is al nust be lice this permit f is attached permanently	lowed for n nsed and r orm. The v I to the site attached a	o longer eady for ehicle is only by
As-Built Drawings 13 Pro	ovide a copy of the	final pla	ns or as-built	drawings to	the City	Administrati	ve Official.	
the the atta	ovide a statement (le structure and or file community during ach a copy of his/he	letter), s il placed g times er calcul	igned and sea in the floodwa of flooding. lations and /or	aled by a T ay will not i The Texa a list of as	exas Lice result in a as License ssumption	nsed Profes ny increase i ed Profession s to the certi	in flood leve onal Engine fication.	els within eer must
The above requirements are based of is the responsibility of the applicant to completed and accepted by the Flooto complete the repair or construction	to apply for a new permodplain Administrator or	nit(s) if the	proposed improv	rements are r	nodified. W	hen all the abo	ve provisions l	have been
Acknowledgement of Special Prov	/isions							
Owner or Agent authorized by the	Owner				Date			
Signature or Floodplain Administra Original – Administrative Office	ator				Date Copy – Owner	/Authorized Agent	of the Owner	•
Office Use Only Below this Li	ine . 							
Received by			Date		_			
Receipt No	•		☐ Cash	☐ Cr	edit Card	Check N	No	
BFE Certificate Received		Date	<u> </u>			•		
Inspections						Date		-
Inspections						Date		_
Inspections						Date	_	
No Rise Certificate Received	<u> </u>	Date						

CITY OF LA VERNIA FLOODPLAIN DEVELOPMENT PERMIT



ADDITIONAL PROPERTY OWNER(S) AND PROJECT INFORMATION

- 1. No work of any kind may begin in a floodplain area designated as A, AE, AH, AO, AR, or A99 until a floodplain development permit is issued.
- 2. The permit may be revoked if any false statements are made in this application.
- 3. If revoked, all work must cease until a permit is re-issued.
- 4. The development may not be used or occupied until a Certificate of Compliance is issued.
- 5. The permit will expire if no work is commenced within 6 months of the date of issue.
- 6. The permit will not be issued until any necessary local, state, or federal permits have been obtained.
- 7. By signing and submitting this application, the Applicant gives consent to the local Floodplain Administrator or his/her representative to make reasonable inspections prior to the issuance of a Certificate of Compliance.
- 8. By signing and submitting this application, the Applicant certifies that all statements contained in Page 1 of the application, and in any additional attachments submitted by the Applicant, are true and accurate.
- 9. This permit application will not be accepted without the signature of all property owners. The signature is an acknowledgement and consent to this floodplain development permit application.

PROPERTY INFORMATION		
Property Address		Property ID No
ADDITIONAL OWNER(S) INFORMATION	N	
, ,		Owner's Telephone No
Owner's Mailing Address		
City		
Owner's Email		
Signature of Owner		
Property Owner		Owner's Telephone No
Owner's Mailing Address		
City	State	Zip
Owner's Email		
Signature of Owner		
Property Owner		Owner's Telephone No
Owner's Mailing Address		
City		
Owner's Email		· · · · · · · · · · · · · · · · · · ·
Signature of Owner		
OFFICE USE ONLY		
Date Received:	Per	mit Number:

CITY OF LA VERNIA FLOODPLAIN DEVELOPMENT PERMIT PERMIT DETERMINATION



To Be completed by the Floodplain Administrator

PROPERTY INFORMATION	
Property Address	Property ID No
I have determined that the proposed developme	ent
□ IS	
☐ IS NOT (non-conformances to be describe	d in a separate document)
in conformance with local Code of Ordinance Fl	<u> </u>
The Floodplain Development Permit	
□ IS	
☐ IS NOT (non-conformances to be described	d in a separate document)
issued, subject to any conditions attached to an	d made part of this permit.
Floodplain Administrator	Date

The applicant is reminded that this document is a development permit only. An inspection must be performed and if required, engineer certifications must be submitted and approved, before the FPA will issue a Compliance Certificate. A Compliance Certificate must be issued before the development can be occupied or used.



CERTIFICATE OF COMPLIANCE CITY OF LA VERNIA FLOODPLAIN DEVELOPMENT PERMIT

PROPERTY INFORMATION						
Property Address		Property ID No				
"AC DIN TO FLEVATIONS (4-						
"AS-BUILT" ELEVATION" (to	be completed by th	e applicant after construction)				
	mpleted by a Profe	d for structures that are part of the essional Land Surveyor or a Profee pplication).				
(1) The Actual ("As-Built")	elevation of the top	o of the lowest floor, including the	basement, is			
Feet abo	ove NAVD 1988 (v	vertical datum:	_).			
(2) The Actual ("As-Built") e	elevation of floodpr	oofing protection is	Feet			
above NAVD 1988 (vert	tical datum:).				
COMPLIANCE ACTION (to be	completed by the L	ocal Floodplain Administrator)	· ·			
The Floodplain Administrator will o	complete this section	as applicable based on inspection o y's local flood damage prevention or				
Inspections:						
Date:	Ву:	Deficiencies?	s 🗌 No			
Date:	Ву:	Deficiencies?	s 🔲 No			
Date:	Ву:	Deficiencies?	S No			
Date:	Ву:	Deficiencies?	S No			
CERTIFICATE OF COMPLIAN	ICE ISSUED.					
Signature of FPA		Date				

This Certificate of Compliance indicates that structures may now be occupied and non-structural developments may be utilized.

U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

	SECT	ION A	- PROPERTY IN	FORMATI	ON	FC	R INSURANCE COMPANY USE
A1.	Building Owner's Name			****		Po	licy Number:
A2.	A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or PO. Route and Box No. Compa						mpany NAIC Number:
	City State ZIP Code						
A3.	Property Description (Lot and Block Numbers, Tax Parce	l Numbe	r, Legal Description	n, etc.)			CONTRACTOR OF THE PROPERTY OF
	Building Use (e.g., Residential, Non-Residential, Additio		•				
A6.	Latitude/Longitude: Lat Attach at least 2 photographs of the building if the Cert Building Diagram Number		,	ain flood in:			tum: ☐ NAD 1927 ☐ NAD 1983
	For a building with a crawlspace or enclosure(s):			A9. For a b	ouilding	with an attac	hed garage:
	a) Square footage of crawlspace or enclosure(s)b) Number of permanent flood openings in the crawlsp		sq ft			tage of attac	• • • • • • • • • • • • • • • • • • • •
	or enclosure(s) within 1.0 foot above adjacent grade		 	wit	thin 1.0	foot above a	ood openings in the attached garage djacent grade
	c) Total net area of flood openings in A8.b d) Engineered flood openings? Yes No	_	sq in	-		rea of flood o i flood openi	penings in A9.bsq in ngs?
	, , , , , , , , , , , , , , , , , , , ,						
B1	SECTION B - FLOO NFIP Community Name & Community Number	D INSU	B2. County Name		VI) INF	DRMATION	B3. State
			B2. County Name				
B4.	Map/Panel Number B5. Suffix B6. FIRM Index	Date	B7. FIRM Panel E Revised Date		B8. Fi	ood Zone(s)	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)
B10	Indicate the source of the Base Flood Elevation (BFE) d		•	ered in Iten	n B9:		
R11	☐ FIS Profile ☐ FIRM ☐ Community Determined Indicate elevation datum used for BFE in Item B9:	D U NGVD ∏	•	D 1988	□ Oth	er/Source: _	
	.Is the building located in a Coastal Barrier Resources S		-				
	Designation Date:/ CBR	RS	□ OPA				
	SECTION C - BUILDIN	IG ELE\	ATION INFORM	IATION (S	URVE	REQUIRE	D)
C1.	Building elevations are based on: Construction *A new Elevation Certificate will be required when const			ng Under Co	onstructi	on*	Finished Construction
	A new Elevation Certificate will be required when cons	uucuon	or are basaing is co	ompiete.			
C2.	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specific	L-V30, V ed in Iten	(with BFE), AR, AR, n A7. In Puerto Ric	/A, AR/AE,	AR/A1- r meters	A30, AR/AH, s.	AR/AO. Complete Items
	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V2 C2.a–h below according to the building diagram specific Benchmark Utilized:	L-V30, V ed in Iten	(with BFE), AR, AR, n A7. In Puerto Rico Vertical E	/A, AR/AE, o only, ente oatum:	r meters	S	
	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specific	L-V30, V ed in Iten 	(with BFE), AR, AR, n A7. In Puerto Ric Vertical E ugh h) below.	/A, AR/AE, o only, ente oatum:	er meters	vd 1988 □	Other/Source:
	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specific Benchmark Utilized:	L-V30, Ved in Iten us a) throus that us	(with BFE), AR, AR, A7. In Puerto Rice Vertical E rugh h) below.	/A, AR/AE, o only, ente oatum:	er meters	vd 1988 □	
	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a	L-V30, Ved in Iten us a) throus that us	(with BFE), AR, AR, AR, A7. In Puerto Rice Vertical E Bugh h) below. Sed for the BFE. Busure floor)	/A, AR/AE, o only, ente Datum: NGVD 1929	er meters	VD 1988 eck the mea	Other/Source:surement used.
	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V2 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (N	L-V30, V ed in Iten us a) thro us that us , or encic	(with BFE), AR, AR, AR, an A7. In Puerto Rice Vertical E ugh h) below. sed for the BFE. sure floor)	/A, AR/AE, o only, ente oatum: NGVD 1929	er meters	VD 1988 eck the mea feet feet	Other/Source: surement used. meters meters meters
	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V2 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (va) Attached garage (top of slab)	L-V3O, Ved in Iten us a) through the is that us or enclor / Zones of	(with BFE), AR, AR, AR, A7. In Puerto Riconal Evertical Ever	/A, AR/AE, o only, ente Oatum: NGVD 1929	er meters	vD 1988 ceck the mea feet feet feet feet	Other/Source: surement used. meters meters meters meters meters
	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V2 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (N	L-V30, Ved in Item us a) thro us that us or enclo / Zones of	(with BFE), AR, AR, AR, A7. In Puerto Riconal Evertical Ever	/A, AR/AE, o only, ente Oatum: NGVD 1929	er meters	VD 1988 eck the mea feet feet	Other/Source: surement used. meters meters meters
	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V5 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment) f) Lowest adjacent (finished) grade next to building (LA)	L-V30, V d in Iten as a) thro as that us or encio / Zones of g the buints) G)	(with BFE), AR, AR, AR, A7. In Puerto Riconal Evertical Ever	/A, AR/AE, o only, ente Oatum: NGVD 1929	er meters	vD 1988 ceck the mea feet feet feet feet	Other/Source: surement used. meters meters meters meters meters
	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V5 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V6 d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (HA g) Highest adjacent (finished) grade next to building (HA	L-V30, V d in Iten as a) thro as that us or encio / Zones of g the buints) G)	(with BFE), AR, AR, AR, h A7. In Puerto Rico Vertical Equation (a) below. Seed for the BFE. Source floor)	/A, AR/AE, o only, ente Oatum: NGVD 1929	er meters	VD 1988 eck the mea feet feet feet feet feet feet	Other/Source: surement used. meters
	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V5 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment) f) Lowest adjacent (finished) grade next to building (LA)	L-V30, V d in Iten as a) thro as that us or encio / Zones of g the buints) G)	(with BFE), AR, AR, AR, h A7. In Puerto Rico Vertical Equation (a) below. Seed for the BFE. Source floor)	/A, AR/AE, o only, ente Oatum: NGVD 1929	er meters	VD 1988 eck the mea feet feet feet feet feet	Other/Source: surement used. meters meters meters meters meters meters meters
	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V5 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (HA g) Highest adjacent grade at lowest elevation of deck of	L-V30, V d in Iten us a) thro us that us , or encic / Zones o g the bui nts) G) AG) r stairs, I	(with BFE), AR, AR, AR, and A7. In Puerto Rice I engh h) below. Seed for the BFE. Source floor) Source floor I english in the	/A, AR/AE, o only, ente Datum:NGVD 1929	P NA	ock the mea	Other/Source: surement used. meters
This c	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V5 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (v d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (LA g) Highest adjacent (finished) grade next to building (H/h) h) Lowest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVE pertification is to be signed and sealed by a land surveyor mation. I certify that the Information on this Certificate rep	L-V30, V d in Iten is a) thro is that us , or enclo / Zones o g the bui nts) G) AG) r stairs, I EYOR, E	(with BFE), AR, AR, AR, A7. In Puerto Rico Vertical E rugh h) below. Sed for the BFE. Soure floor) Only) Including INGINEER, OR A er, or architect autiny best efforts to in	/A, AR/AE, o only, ente obtum:	Cr CER	ock the mea cek the mea feet feet feet feet feet feet feet fe	Other/Source: surement used. meters
This c	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V2 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (Va) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment) f) Lowest adjacent (finished) grade next to building (LA g) Highest adjacent (finished) grade next to building (HA h) Lowest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVE	L-V30, V d in Iten us a) thro us that us , or encic / Zones o g the buints) G) AG) r stairs, I EYOR, E r, engine e or imp. Were la	(with BFE), AR, AR, AR, A7. In Puerto Rico Vertical E rugh h) below. Sed for the BFE. Soure floor) Only) Including INGINEER, OR A er, or architect autiny best efforts to in	ARCHITEC horized by laterpret the B U.S. Code,	Cr CER aw to ce data av, Section	eck the mea feet feet feet feet feet feet feet fe	Other/Source: surement used. meters
This c	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V5 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (v d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (LA g) Highest adjacent (finished) grade next to building (HA h) Lowest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVE pertification is to be signed and sealed by a land surveyor mation. I certify that the Information on this Certificate reperstand that any false statement may be punishable by fine eck here if comments are provided on back of form.	L-V30, V d in Iten us a) thro us that us , or encic / Zones o g the buints) G) AG) r stairs, I EYOR, E r, engine e or imp. Were la	(with BFE), AR, AR, AR, A7. In Puerto Rico Vertical E Jugh h) below. Seed for the BFE. Source floor) Only) Including INGINEER, OR A er, or architect auth my best efforts to in risonment under 18 stitude and longitude.	ARCHITEC horized by laterpret the B U.S. Code, de in Sectio	CT CER aw to ce data av , Section No	eck the mea feet feet feet feet feet feet feet fe	Other/Source: surement used.
This c	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V2 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (N d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (LA g) Highest adjacent (finished) grade next to building (HA h) Lowest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVE Pertification is to be signed and sealed by a land surveyor aution. I certify that the Information on this Certificate reperstand that any false statement may be punishable by fine eck here if comments are provided on back of form. eck here if attachments.	L-V30, V d in Iten as a) thro as a) thro as that us , or encic / Zones o g the buints) G) AG) r stairs, I EYOR, E r, engine resents r e or imp, Were la license	(with BFE), AR, AR, AR, A7. In Puerto Rico Vertical E Jugh h) below. Seed for the BFE. Source floor) Only) Including INGINEER, OR A er, or architect auth my best efforts to in risonment under 18 stitude and longitude.	ARCHITEC New Yes ARCHITEC New Yes	CT CER aw to ce data av , Section No	eck the mea feet feet feet feet feet feet feet fe	Other/Source: surement used. meters
This c inform I under Che Chetil	Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V5 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (v d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (LA g) Highest adjacent (finished) grade next to building (HA h) Lowest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVE pertification is to be signed and sealed by a land surveyor mation. I certify that the Information on this Certificate reperstand that any false statement may be punishable by fine each here if comments are provided on back of form. each here if attachments. The field of the building diagram specific specification is to be signed and sealed by a land surveyor method in the field of the service of the servi	L-V30, V d in Iten as a) thro as a) thro as that us , or encic / Zones o g the buints) G) AG) r stairs, I EYOR, E r, engine resents r e or imp, Were la license	(with BFE), AR, AR, AR, A7. In Puerto Rio Vertical E rugh h) below. Sed for the BFE. Source floor) Only) Idding INGINEER, OR A er, or architect auth my best efforts to in risonment under 18 stitude and longitud d land surveyor?	ARCHITEC New Yes ARCHITEC New Yes	CT CER aw to ce data av , Section No	eck the mea feet feet feet feet feet feet feet fe	Other/Source: surement used,

ELEVATION CERTIFICATE, page 2

- Itananasa			1
IMPORTANT: In these spaces, copy the corre			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, S	uite, and/or Bidg. No.) or PO. Route a	nd Box No.	Policy Number:
City	State ZIF	Code	Company NAIC Number:
SECTION D - S	URVEYOR, ENGINEER, OR ARC	HITECT CERTIFICATION	ON (CONTINUED)
Copy both sides of this Elevation Certificate for			
Comments			
Signature		ate	
SECTION E DINI DINC ELEVATIO	I INCODMATION (CUDVEY NOT	DEGUIDED) FOR ZON	UE AO AND ZONE A (MUZICUE DEC)
······································			NE AO AND ZONE A (WITHOUT BFE) LOMR-F request, complete Sections A, B, and C.
For Items E1–E4, use natural grade, if available	e. Check the measurement used. In P	uerto Rico only, enter met	ters.
E1. Provide elevation information for the follow grade (HAG) and the lowest adjacent grade	(LAG).		
a) Top of bottom floor (including basement	•	☐feet [
b) Top of bottom floor (including basement		feet [
E2. For Building Diagrams 6–9 with permanent the next higher floor (elevation C2.b in the		items & and/or 9 (see pa ☐ feet [
E3. Attached garage (top of slab) is	ulagrams) or the building is		
E4. Top of platform of machinery and/or equip	ment servicing the building is	☐ feet [
E5. Zone AO only: If no flood depth number is	•		
ordinance? Yes No Unknow	. The local official must certify this in	formation in Section G.	mar are community o neceptain management
SECTION F - P	ROPERTY OWNER (OR OWNER	S REPRESENTATIVE)	CERTIFICATION
The property owner or owner's authorized reprezone AO must sign here. The statements in Se			out a FEMA-issued or community-issued BFE) or
Property Owner or Owner's Authorized Represe		voot or my minimodgo.	,
Address	С	ity	State ZIP Code
Signature	D	ate	Telephone
Comments			
			Check here if attachments.
	SECTION G - COMMUNITY INFO	DRMATION (OPTIONA	L)
The local official who is authorized by law or ord G of this Elevation Certificate. Complete the app	inance to administer the community's folicable item(s) and sign below. Check	loodplain management ord the measurement used in	linance can complete Sections A, B, C (or E), and Items G8–G10. In Puerto Rico only, enter meters.
G1. The information in Section C was take	en from other documentation that ha	s been signed and seale	d by a licensed surveyor, engineer, or architect
			ition data in the Comments area below.)
G2. ☐ A community official completed SectionG3. ☐ The following information (Items G4—	<u>-</u>		,
G4. Permit Number	G5. Date Permit Issued		rate Of Compliance/Occupancy Issued
C7 This parmit has been insued for This	ow Construction		
G7. This permit has been issued for: NG8. Elevation of as-built lowest floor (including)	ew Construction		meters Datum
G9. BFE or (in Zone AO) depth of flooding at t	· · ·		meters Datum
G10.Community's design flood elevation:			meters Datum
Local Official's Name	т	itle	
		unumum	
Community Name		elephone	
Signature		ate	
Comments			
			
			Check here if attachments.

ELEVATION CERTIFICATE, page 3

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Policy Number:
City State ZIP Code	Company NAIC Number:
If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if req Side View." When applicable, photographs must show the foundation with representative examples indicated in Section A8. If submitting more photographs than will fit on this page, use the Continua	uired, "Right Side View" and "Left s of the flood openings or vents, as
	·
	·
•	

ELEVATION CERTIFICATE, page 4

BUILDING PHOTOGRAPHS

Continuation Page

IMPORTANT: In these spaces, copy the corresponding Info	FOR INSURANCE COMPANY USE						
Building Street Address (including Apt., Unit, Suite, and/or B	Bidg. No.) or PO. Route and Box No.	Policy Number:					
City	State ZIP Code	Company NAIC Number:					
If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.							
•							
		'					
		;					
		·					

O.M.B. NO. 3067-0077 Expires:

F-056 (8/99)

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

FLOODPROOFING CERTIFICATE

FOR NON-RESIDENTIAL STRUCTURES

The floodproofing of non-residential buildings may be permitted as an alternative to elevating to or above the Base Flood Elevation; however, a floodproofing design certification is required. This form is to be used for that certification. Floodproofing of a residential building does not alter a community's floodplain management elevation requirements or affect the insurance rating unless the community has been issued an exception by FEMA to allow floodproofed residential basements. The permitting of a floodproofed residential basement requires a separate certification specifying that the design complies with the local floodplain management ordinance.

BUILDING OWNER	R'S NAME				FOR INSURA	NCE COMPANY US	E	
					POLICY NUMBER			
STREET ADDRESS	S (Including Apt., I	Jnit, Suite and/or Bldg numb	er) OR P.O. R	DUTE AND BOX NUMBER	001511111	1.16		
OTHER DECORDS	TON (Ist and Block	. Normana atal			COMPANY	NAIC NUMBER		
OTHER DESCRIPT	ION (101 and block	(Numbers, etc)						
CITY		•			STATE	ZIP CO	DE	
		SECTION I - FLOO	DD INSUR	ANCE RATE MAP (FIRM	/i) INFORMATIO	ON		
Provide the fo		the proper FIRM:		•	•			
	Y NUMBER	PANEL NUMBER	SUFFIX	DATE OF FIRM INDEX	FIRM ZONE	BASE FLOOD (In AO Zones,		
SEC ⁻	T!ON II – FL	OODPROOFING IN	FORMATI	ON (By a Registered Pr	rofessional Eng	gineer or Arcl	hitect)	
		ation Information:				•	,	
-		fed to an elevation of		Feet NGVD. (Elevation dat	tum used must be	the same as th	at on the FIRM)	
Height	of floodproofi	ng on the building abo	ve the lowe	st adjacent grade is	feet.			
Elevati	ion to receive .	e rating purposes, the rating credit. If the bu higher premium.)	building's fl ilding is floo	oodproofed design elevatio dproofed only to the Base I	n must be at leas Flood Elevation, ti	t one foot above hen the building	the Base Flood 's insurance	
	SECTIO	N III – CERTIFICAT	ΓΙΟΝ (By a	Registered Profession	nal Engineer or	Architect)		
Non-Residenti	al Floodproo	fed Construction Ce	rtification:					
				of structural design, specific ted standards of practive fo				
				and sanitary facilities, is wally impermeable to the pas		odproofed desig	ın elevation	
		I components are cap and anticipated debris		sting hydrostatic and hydrodes.	dynamic flood ford	es, including the	e effects of	
				nts my best efforts to interpr under 18 U.S. Code, Section		ble. I understar	nd that any false	
CERTIFYER'S NAM	ΛE			LICENSE NUMBER (or Aff	ix Seal)			
TITLE				COMPANY NAME				
ADDRESS				CITY	STATE	<u>:</u>	ZIP CODE	
SIGNATURE				DATE	PHON	E		
Copie	s should be m	ade of this Certificate	for: 1) com	munity official, 2) Insuranc	e agent/company	, and 3) building	owner.	
FEMA form 81-65	i. AUG 99		Replaces	all previous editions			F-056 (8/99)	

Replaces all previous editions